





— TABLE OF CONTENTS

CONTENTS

GENERAL GEAR	3
RACING HELMETS	4 - 8
SIZING CHART	9
RACING SUITS	10 - 13
FR UNDERWEAR	14
RACING GLOVES	15
RACING SHOES	16
ACCESSORIES	17
RACING BELTS	18 - 21
WINDOW NETS	22
TOWING GEAR	23



1020 Sun Valley Drive
Roswell, Georgia, 30076

(770) 998-8855

PRODUCT CLOSEOUTS!

Check out our eBay store
for discounted merchandise.

stores.ebay.com/G-FORCE-Outlet-Store

ACTUAL PRODUCTS MAY DIFFER SLIGHTLY FROM
PHOTOGRAPHS DUE TO DESIGN IMPROVEMENTS OR
ANY OTHER CHANGES.

MOTOR RACING IS EXTREMELY HAZARDOUS. DEATH OR
INJURY WILL OCCUR. THE PRODUCTS WE SELL HAVE NO
WARRANTY OR REPRESENTATIONS MADE WITH ABILITY
TO PROTECT AGAINST INJURY OR DEATH. THE USER
ASSUMES THAT RISK. ALL OF THE ITEMS WE SELL ARE FOR
OFF ROAD USE ONLY AND ARE NOT APPROVED OR
RECOMMENDED FOR STREET USE. G-FORCE RACING
GEAR IS NOT RESPONSIBLE OR LIABLE FOR ERRORS OR
OMISSIONS. PRICES SUBJECT TO CHANGE.

PRODUCT COLOR, SIZE, AND CODE LEGENDS

Example of a G-FORCE Racing Gear Part Number

PART #	SIZE	COLOR
5555	XSM MED XLG SML LRG XXL	BK WH

5555 + LRG + BK
(Part #) (3 digit size) (2 digit color)
if needed if needed

product size

Child Small (6-8)	CSM
Child Medium (10-12)	CMD
Child Large (14-16)	CLG
Small	SML
Medium	MED
Large	LRG
Extra Large	XLG
Double Extra Large	XXL
Triple Extra Large	XXX
Quad Extra Large	4XL

racing shoe size

3	030	9	090
4	040	9.5	095
5	050	10	100
6	060	10.5	105
6.5	065	11	110
7	070	11.5	115
7.5	075	12	120
8	080	13	130
8.5	085	14	140

product color

Black	BK
Blue	BU
Red	RD
Yellow	YL
Orange	OR
Purple	PU
Green	GN
Silver	SV
White	WH
Natural	NT
Matte Black	MB

arm restraints

Adult	ADU
Junior	JNR

balacclavas

Single Layer, Single Eyeport	1L1
Double Layer, Single Eyeport	2L1
Double Layer, Double Eyeport	2L2

LIMITED WARRANTY

G-FORCE RACING GEAR

(Collectively referred to as the "Warrantor") will repair or replace these products with new or refurbished parts, free of charge in the USA within 30 days of the original purchase in the event of a defect in materials or workmanship. Warranty is extended only to the original purchaser. A purchase receipt or other proof of date of original purchase will be required before warranty service is rendered.

The Warranty only covers failures due to defects in materials or workmanship that occurred during normal use and does not cover normal maintenance, including but not limited to, normal wear and tear of the product incurred during its intended use. It does not cover damage which occurs during shipment of failures which are caused by products not supplied by the Warrantor or failures which may result from accidents, misuse, abuse, neglect, mishandling, misapplication, alteration, faulty installation, set up adjustments, modifications or commercial use, or other business or rental use of the product or damage which is attributable to acts of God.

LIMITS AND EXCLUSIONS

There are no express warranties except as listed above. THE WARRANTOR SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OF WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO THE APPLICABLE WARRANTY AND SET FORTH ABOVE. Some states do not allow the exclusion of limitation of incidental or consequential damages, or limitations on how long an implied warranty lasts, so the above exclusions or limitations may not apply to you. This Warranty gives you specific legal rights and you may also have other rights that vary from state to state. If a problem with this products develops during or after the warranty, you may contact the Warrantor at the following address: 1020 Sun Valley Drive, Roswell, Georgia, 30076, U.S.A.

Repair work that does not involve defective materials or workmanship is not covered by this Warranty. Costs of such service, including shipping charges, are the responsibility of the Purchaser.

The HANS Friendly designation identifies products or services that qualify for inclusion in a cooperative marketing program agreed between G-FORCE Racing Gear and HANS Performance Products. Neither party's participation, and use of the other's name, logos, trademarks, designations ect., is, in any way, an endorsement or certification of the other's products or services. Neither party, thier officers, directors, associates, ect., assume any responsibility, legal or otherwise, for failure or malfunctions of the other party's products or services.

PRO GARMENT BAG

Measures: 12"L x 17"W x 3"H

PART #
1008



Side pocket shown

RADIO BELTS

Adjustment length: 30"-52"

PART #	COLOR
4089	BK RD BU



GEAR BAG

Measures: 24"L x 12"W x 14"H

PART #
1005

This black bag comes with red accents.



HELMET BAG

Measures: 16"L x 10"W x 14"H

Large, fleece lined GF Helmet Bag for today's models and most restraint devices.

PART #
1006



GF PRO BACKPACK

Measures: 10"L x 16"W x 17"H

8 Separate compartments, adjustable shoulder straps, hand held device pocket, headphone port, laptop pocket, reinforced back & bottom. For driver, crew or recreational use.

PART #
1007



DELUXE HELMET BAG

Measures: 24"L x 14"W x 12"H

PART #
1003



PRO CREW

FEATURES

- × Lightweight Composite Shell
- × Comfortable Nylon Liner
- × G-FLOW ventilation with Top vents
- × Fits with most standard radio headsets

PART #	SIZE					COLOR
4412	SML	MED	LRG	XLG	XXL	WH



PRO PIT

FEATURES

- × 6 Slotted Air Vents
- × Removable Visor
- × Super Low Cut Chinbar
- × Wide Field of Vision

PART #	SIZE					COLOR
3012	SML	MED	LRG	XLG	XXL	WH





GF1 OPEN FACE

CERTIFICATION

*NEW SNELL SA2015

FEATURES

- × Flame Retardant Liner
- × G-FLOW Top / Rear Vents
- × Lightweight Composite Shell
- × Kevlar Chinstrap
- × Built-in Helmet Restraint Hardware

PART #	SIZE					COLOR
3121	SML	MED	LRG	XLG	XXL	BK WH

NEW SNELL SA2015



GF3 FULL FACE

CERTIFICATION

*NEW SNELL SA2015

FEATURES

- X Flame Retardant Liner
- X G-FLOW Ventilation System
- X Lightweight Composite Shell
- X 3 Color Options: Gloss White, Gloss Black or Matte Black
- X Built-in Helmet Restraint Hardware

SHIELDS

#8601 ProFit (Clear), #8602 ProFit (Smoke),
#8603 ProFit (Mirror Smoke), #8604 ProFit (Amber),
#8605 ProFit (Blue Mirror), #8606 ProFit (Light Smoke)

NEW SNELL SA2015

PART #	SIZE						COLOR
3123	XSM	SML	MED	LRG	XLG	XXL	BK MB WH



CF3 Carbon

 CERTIFICATION — ***NEW SNELL SA2015**

FEATURES

- × Lightweight Carbon Fiber Shell
- × Carbon Fiber gloss black finish with a muted matte finish center stripe
- × Flame Retardant Liner
- × G-FLOW Ventilation System
- × Reinforced mounting points for Helmet Restraint Systems
- × Built-in Helmet Restraint Hardware

SHIELDS

#8601 ProFit (Clear), **#8602** ProFit (Smoke), **#8603** ProFit (Mirror Smoke), **#8604** ProFit (Amber),
#8605 ProFit (Blue Mirror), **#8606** ProFit (Light Smoke)

PART #	SIZE					COLOR
3128	SML	MED	LRG	XLG	XXL	BK



Helmet Shield Application Chart



SA2015

GF3 Full Face 3123
CF3 Carbon 3128

SA2010

Pro Eliminator 3023
Pro Vintage 3025
SideDraft 3027

#8601 ProFit (Clear)	✓	✓
#8602 ProFit (Smoke)	✓	✓
#8603 ProFit (Mirror Smoke)	✓	✓
#8604 ProFit (Amber)	✓	✓
#8605 ProFit (Blue Mirror)	✓	✓
#8606 ProFit (Light Smoke)	✓	✓
#3015 PF2		✓
#3016 PF3	✓	

We recommend picking up these items along with your helmet:

#8004 Breath Deflector

#8006 Tear Off Posts

#8517 GF Helmet Paint Kit

#8518 GF Helmet Seal Replacement Kit

#8411 Visor for Open Face




Use the G-FORCE Racing Gear Hex Key to change the shield on your G-FORCE SA2010 or SA2015 full face Helmets.

Hex Key is not included with helmets.

#8620

RACING GLOVE

SIZE	MEASUREMENT	To find glove size in inches, measure around the largest part of hand over knuckles while making a fist, excluding the thumb. If you are close on a size range, go to the larger size if you have long fingers, or go to the smaller size if you have short fingers.
*CSM	4-1/2" - 5-1/2"	
*CMD	5" - 6"	
XXSMALL	5-1/2" - 7"	
XSMALL	6-1/2" - 7-1/2"	
SMALL	7" - 8"	
MEDIUM	7-1/2" - 9"	
LARGE	8-1/2" - 11"	
XLARGE	12" - 13"	
XXLARGE	13" - 14"	

*Child sizes have shorter finger lengths

SOCK SIZE

SHOE	SOCK
3 - 5	Small
5 - 7	Medium
7 - 9	Large
10 - 13	X-Large

HELMET SIZE CONVERSION CHART

SIZE	HAT	MEASUREMENT	METRIC
XSMALL	6-5/8 to 6-3/4	20-7/8 to 21-1/4	53 to 54
SMALL	6-7/8 to 7	21-5/8 to 22	55 to 56
MEDIUM	7-1/8 to 7-1/4	22-3/8 to 3/4	57 to 58
LARGE	7-3/8 to 7-1/2	23-1/8 to 23-1/2	59 to 60
XLARGE	7-5/8 to 7-3/4	23-7/8 to 24-1/4	61 to 62
XXLARGE	7-7/8 to 8	24-3/4 to 25-1/8	63 to 64

RACING SHOE SIZE CONVERSION CHART FOR MEN/WOMEN

M	W	M	W	M	W
3	4.5	7.5	9	10.5	12
4	5.5	8	9.5	11	12.5
5	6.5	8.5	10	11.5	13
6	7.5	9	10.5	12	13.5
6.5	8	9.5	11	13	14.5
7	8.5	10	11.5	14	15.5

RACING SUIT

SIZE	CHEST	STOMACH ¹	WAIST ²	HIP	INSEAM	SLEEVE ³	NECK	WAIST TO ANKLE
CHILD (small)	27 - 29"	23 - 26"	21 - 24"	26 - 28"	18 - 19"	20 - 21"	10.5 - 11.5"	24 - 25"
CHILD (medium)	30 - 32"	27 - 29"	24 - 26"	30 - 32"	21.5 - 22.5"	23 - 24"	11.5 - 12.5"	28.5 - 29.5"
CHILD (large)	33 - 34"	29.5 - 31"	26 - 28"	33.5 - 34.5"	24"	26.5 - 27.5"	12 - 13"	32 - 33"
SMALL	36 - 38"	32.5 - 35"	29 - 32"	35 - 37"	29 - 30"	28 - 29"	13 - 14"	37 - 38"
MEDIUM	38 - 41"	35 - 38"	32 - 35"	38 - 40"	30 - 31"	30 - 32"	13.5 - 15"	38 - 39"
LARGE	42 - 46"	40 - 43"	38 - 40"	42 - 44.5"	32 - 33"	33 - 34"	15 - 16.5"	40.5 - 41.5"
XLARGE	46 - 49"	43 - 46"	41 - 43"	45 - 48"	32.5 - 33.5"	34 - 35"	16 - 17.5"	41 - 42"
XXLARGE	50 - 54"	47 - 51"	44 - 48"	50 - 52.5"	32.5 - 33.5"	35 - 37"	17.5 - 19"	41.5 - 42.5"
XXXLARGE	54 - 59"	51 - 54"	48 - 52"	53 - 55"	34"	37 - 38"	19 - 21.5"	45.5"
XXXXLARGE	70.5"	66"	70"			41.5"	24.25"	

1) Measure at the largest circumference | 2) Measure at your normal beltline

3) Measure from the back of the neck at the center to your wrist; arm bent 90° angle at the elbow



GF 125

CERTIFICATION

SFI 3.2A/1

FEATURES

- × Pyrovatex® Fabric
- × TPP Rating of 10
- × Boot Cuff Pant Legs
- × Nomex® Cuffs

PART #	SIZE	COLOR
ONE-PIECE - 4125	CSM CMD CLG	BK RD BU
JACKET - 4126	SML MED LRG	
PANTS - 4127	XLG XXL XXX	

JACKET IN 4XL



GF 145

CERTIFICATION

SFI 3.2A/1

FEATURES

- × Pyrovatex® Fabric
- × TPP Rating of 10
- × Boot Cuff Pant Legs
- × Nomex® Cuffs

PART #	SIZE	COLOR
ONE-PIECE - 4145	CSM CMD CLG	RD BU
	SML MED LRG	
	XLG XXL XXX	

GF 505
CERTIFICATION
SFI 3.2A/5
FEATURES

- × Pyrovatex® Fabric
- × Nomex® Cuffs
- × White arm & leg stripes
- × White billboard trimmed in contrasting piping
- × Spacious pockets including chest pocket
- × TPP rating of 26

PART #	SIZE	COLOR
JACKET - 4385	SML MED LRG	BK RD BU
PANTS - 4386	XLG XXL XXX	


GF 525
CERTIFICATION
SFI 3.2A/5
FEATURES

- × Pyrovatex® Fabric
- × Nomex® Cuffs
- × Boot Cuff Pant Legs
- × TPP Rating of 21

PART #	SIZE	COLOR
ONE-PIECE - 4525	SML MED LRG	BK RD BU
JACKET - 4526	XLG XXL XXX	PANTS ARE
PANTS - 4527	JACKET IN 4XL	BLACK ONLY



GF 745 ONE-PIECE

CERTIFICATION

SFI 3.2A/5

FEATURES

- X Boot Cuff Pant
- X 360 Degree Arm Gussets
- X Stretch Knit Back Panel
- X Textured Fire Retardant Outer Layer
- X 2 Tone Design

PART #	SIZE			COLOR
4745	SML	MED	LRG	BK RD BU
	XLG	XXL	XXX	



GF 745 TWO-PIECE

CERTIFICATION

SFI 3.2A/5

FEATURES

- X Boot Cuff Pant
- X 360 Degree Arm Gussets
- X Adjustable Elastic Pant Waist
- X Textured Fire Retardant Outer Layer
- X 2 Tone Design

PART #	SIZE			COLOR
JACKET - 4746	SML	MED	LRG	BK RD BU
PANTS - 4747	XLG	XXL	XXX	



TWO-PIECE SFI-15 DRAG SUIT

CERTIFICATION

SFI 3.2A/15

FEATURES


- × Two Piece Drag Suit
- × Solid Black Construction
- × TPP rating of 63
- × Multiple Layers using both Nomex® and Kevlar® layers

PART #	SIZE			COLOR
JACKET - 4576	SML	MED	LRG	BK
PANTS - 4577	XLG	XXL		



CUSTOM RACING SUIT

The Custom Shop at G-FORCE Racing Gear is a modern 10,000 sq. ft., fully climate controlled, sewing facility. The shop is filled with only the best of sewing personnel who build G-FORCE Racing Gear products. Rather than sewing operators doing the same operation all day long, it is staffed with seamstresses highly skilled in all facets of racing suit construction. Only the high end G-FORCE Racing Gear suits, along with made-to-order, made-to-measure, and customs, are built here. These craftswomen (and men) will assemble your new suit to the highest standards in the industry. In a G-FORCE Racing Gear suit you look like a superstar at the track. Affordable Quality, what more can you ask for?



SFI FLAME RETARDANT BALACLAVAS

CERTIFICATION

SFI 3.3

FEATURES

- × Single or Double Layer
- × TPP rating of 10



PART #	LAYER OPTIONS	COLOR
4112	1L1 2L1 2L2	BK BU RD NT

FLAME RETARDANT SOCKS

FEATURES

- × Soft Knit Nomex® Material
- × Hypoallergenic Coverage

PART #	SIZE
4140	SML MED LRG XLG



SFI FLAME RETARDANT UNDERWEAR

CERTIFICATION

SFI 3.3

FEATURES

- × Ultra-Soft Construction
- × TPP rating of 10



PART #	SIZE	COLOR
TOP - 4160	SML MED LRG	NT
BOTTOM - 4161	XLG XXL	

NOTE : It is highly recommended that you add a layer of underwear to all suits (especially any single-layer suit) for additional protection.



G5 GLOVES

CERTIFICATION

SFI 3.3/5

PART #	SIZE	COLOR
4101	CSM CMD XXS	BK BU
	XSM SML MED	RD OR
	LRG XLG XXL	



G6 GLOVES

CERTIFICATION

SFI 3.3/5

PART #	SIZE	COLOR
4106	SML MED LRG	BK BU
	XLG XXL	RD

PRO SERIES RACE GLOVES

CERTIFICATION

SFI 3.3/5



PART #	SIZE	COLOR
4105	SML MED LRG	BK BU
	XLG XXL	RD

GF235 RACEGRIP MID-TOPS

CERTIFICATION

SFI 3.3/5

FEATURES

- × Durable construction with double-stitch seams
- × Rubberized sole for long life and good pedal feel
- × Ankle padding for comfort and fit
- × Minimalistic insoles for direct pedal feedback and feel



PART #	SIZE										COLOR
0235	030	040	050	060	065	070	075	080	085		BK RD
	090	095	100	105	110	115	120	130	140		BU

BOOT HEEL SHIELD

1 part # per 1 boot heel shield

PART #
1001



GF236

CERTIFICATION

SFI 3.3/5

FEATURES

- × Radial-Grip™ treaded sole
- × Made with Carbon Fiber Print
- × Accents the new Pro Series Race Glove



PART #	SIZE										COLOR
0236	050	060	065	070	075	080	085	090			BK RD
	095	100	105	110	115	120	130	140			BU

SFI HELMET SUPPORT

CERTIFICATION

SFI 3.3

PART #	SIZE	COLOR
4122	SML MED LRG	BK RD BU

HELMET SUPPORT

FEATURES

X NOT Flame Retardant

PART #	SIZE	COLOR
4121	SML MED LRG	BK RD BU

Small (up to 12.5") Medium (12.5-15.5") Large (15.5-19.5")



TORSO HARNESS

Adjustment length:
20" - 64"

PART #	COLOR
4290	BK RD BU



HELMET RESTRAINT



PART #	COLOR
4170	BK RD BU

ARM RESTRAINTS

CERTIFICATION

SFI 3.3

FEATURES

X Adult and Junior Sizes

PART #	SIZE	COLOR
4087	ADU JNR	BK RD BU



G-FORCE LATCH & LINK BELT CHART


See Page 19 for Components that make up these parts.

BASE #	RATING	SHOULDER BELT	LAP BELT	SUB STRAP	COLOR OPTIONS
★ 6000	16.1	Standard Individual	Standard Pull Down Latch	Single Mounting Point	BK BU & RD
★ 6001	16.1	Standard Individual	Standard Pull Down Latch	Double Mounting Points	BK BU & RD
6020	16.1	V-Type Single Mount	Standard Pull Down Latch	Single Mounting Point	BK BU & RD
6030	16.1	H-Type Extra Long	Standard Pull Down Latch	Single Mounting Point	BK BU & RD
6031	16.1	H-Type Extra Long	Standard Pull Down Latch	Double Mounting Points	BK BU & RD
6100	16.1	Standard Individual	Pull Up Latch	Single Mounting Point	BK BU & RD
6101	16.1	Standard Individual	Pull Up Latch	Double Mounting Points	BK BU & RD
6130	16.1	H-Type Extra Long	Pull Up Latch	Single Mounting Point	BK BU & RD
6131	16.1	H-Type Extra Long	Pull Up Latch	Double Mounting Points	BK BU & RD
6241	16.5	Shoulder CUP	Lap CUP	Double Mounting Points	BK BU & RD
6300	16.1	Standard Individual	Small Buckle Pull Down Latch	Single Mounting Point	BK BU & RD
6330	16.1	H-Type Extra Long	Small Buckle Pull Down Latch	Single Mounting Point	BK BU & RD
6460	16.2	Junior Individual	Junior Pull Up Latch	Single Mounting Point	BK BU & RD
6570	16.1	Adult 2" Individual	Adult 2" Pull Down Latch	Single Mounting Point	BK Only

★ TOP SELLER

MOUNTING HARDWARE CHART

PART #	MOUNTING HARDWARE	
103H	Bolt End 2" - 1/2" hole	A
103W	Bolt End 3" - 1/2" hole	B
107H	Snap Hook - 2" wide	C
107W	Snap Hook - 3" wide	
109H	1/2" Eyebolt, Nut & Washer (short bolt - 20mm)	D
109L	1/2" Eyebolt, Nut & Washer (long bolt - 50mm)	E
100H	Seat Belt Mounting Back-up Plates 4" x 4" x 1/8" steel plates with pre-drilled 7/16" hole. Required by SCCA when mounting belts directly to body of car.	F
102H	3" Slide Bars	
105H	2" Slide Bars	



	STANDARD INDIVIDUAL	H-TYPE EXTRA LONG	V-TYPE SINGLE MOUNT
LATCH SHOULDER	 26" - 50"	 26" - 80"	 26" - 36"
	JUNIOR	ADULT 2"	CUP
LATCH SHOULDER	 19" - 35"	 26" - 50"	 26" - 50"
	STANDARD PULL DOWN	PULL UP LAP	SMALL BUCKLE PULL DOWN
LATCH LAPS	 38" - 67"	 38" - 80"	 38" - 67"
	JUNIOR	ADULT 2"	
LATCH LAPS	 18.5" - 49"	 38" - 67"	
	SINGLE	DOUBLE	
LATCH SUBS	 7" - 25"	 7" - 25"	

* All measurements are for overall length from smallest to largest adjustment

G-FORCE CAMLOCK BELT CHART

See Page 20 for Components that make up these parts.

BASE #	RATING	SHOULDER BELT	LAP BELT	SUB STRAP	COLOR OPTIONS
★ 7000	16.1	Standard Individual	Standard Pull Down Cam	Single Mounting Point	BK BU & RD
★ 7001	16.1	Standard Individual	Standard Pull Down Cam	Double Mounting Point	BK BU & RD
7500	16.1 & FIA	Standard Individual	Standard Pull Down Cam	Single Mounting Point	BK BU & RD
7501	16.1 & FIA	Standard Individual	Standard Pull Down Cam	Double Mounting Point	BK BU & RD
7030	16.1	H-Type Extra Long	Standard Pull Down Cam	Single Mounting Point	BK BU & RD
7031	16.1	H-Type Extra Long	Standard Pull Down Cam	Double Mounting Point	BK BU & RD
7100	16.1	Standard Individual	Pull Up Cam	Single Mounting Point	BK BU & RD
7101	16.1	Standard Individual	Pull Up Cam	Double Mounting Point	BK BU & RD
7130	16.1	H-Type Extra Long	Pull Up Cam	Single Mounting Point	BK BU & RD
7131	16.1	H-Type Extra Long	Pull Up Cam	Double Mounting Point	BK BU & RD
7140	16.1	U-Type Shoulders	Pull Up Cam	Single Mounting Point	BK BU & RD
7142	16.1	U-Type Shoulders	Pull Up Cam	Triple Mounting Point	BK BU & RD
7460	16.2	Junior Individual Shoulders	Junior Pull Up Cam	Single Mounting Point	BK BU & RD
7543	16.1	U-Type Shoulders	Pull Down Cam	Single with Cam on Sub	BK BU & RD
7570	16.1	Adult 2" Individual	Adult 2" Pull Down Cam	Single Mounting Point	BK Only

★ TOP SELLER

**For Mounting Hardware, please see page #18

TUNER BELTS

3" STANDARD HARNESS PADS

2" TUNER/JR BELT HARNESS PADS



PART #
4pt Individual
Shoulder - 9000

COLOR
BK




PART #
4098




PART #
4097

COLOR
BK RD BU



Step 1:
Insert strap through
tightening buckle



Step 2:
Pull strap 8"-10" past buckle,
fold edges and insert into
mounting bracket



Step 3:
Fold back strap and
re-insert through buckle




Step 4:
Fold back strap again and
insert through bottom portion
of buckle

	STANDARD INDIVIDUAL	H-TYPE	U-TYPE SHOULDER
CAM SHOULDER	 26" - 50"	 26" - 80"	 26" - 36"
	JUNIOR	ADULT 2"	
CAM SHOULDER	 19" - 35"	 26" - 50"	
	STANDARD PULL DOWN	PULL UP	
CAM LAP	 38" - 67"	 38" - 80"	
	JUNIOR	ADULT 2"	
CAM LAP	 18.5" - 49"	 38" - 67"	
	SINGLE	DOUBLE	CAM ON SUB
CAM SUBS	 7" - 25"	 7" - 25"	 7" - 25"

* All measurements are for overall length from smallest to largest adjustment

MESH WINDOW NET




CERTIFICATION

SFI 27.1

 All with Black mesh
 Measures: 17" x 21.5"

PART #	COLOR
4135	BK

RIBBON WINDOW NET




CERTIFICATION

SFI 27.1

 Measures:
 18 tall x 23 wide

PART #	COLOR
4131	BK BU RD WH YL OR PU GN SV

ANGLE FRONT NET




CERTIFICATION

SFI 27.1

 Measures:
 18 tall x 23 wide x 26 wide bottom


PART #	COLOR
4134	BK BU RD WH YL OR PU GN SV

MULTI USE ANGLE NET



PART #	COLOR
4130	BK BU RD YL OR PU SV

SFI 37.1 SIDE NET WITH RATCHET



CERTIFICATION

SFI 37.1

PART #	COLOR
4137	BK

MOUNTING HARDWARE CHART

PART #	WINDOW NET MOUNTING HARDWARE	
WM1	GM Button Style	A
WM2	Latch-Style with Round Bar	B
WM3	Heavy Duty Latch Style with Square Bar	C
WM4	Latch-Style with Flat Bar	D
WM5	Flat Steel Bar with Mounting Tabs for Bottom Window Net Mount	
WMT1	Mounting Tab for Round Bar	E
WMT2	Mounting Tab for GM Style	F
WMT3	Mounting Tab for Latch-Style with Flat Bar	G

Mounting Kits include one bar and required brackets to attach bar to rollcage. Another mounting bar may be required to complete installation and is not included.



2" RACE CAR RATCHET TIE-DOWNS

Complete
Tie-Down Unit

PART #

6 FT - 3506

8 FT - 3508

10 FT - 3510

E-TRACK TIE DOWNS

12" STANDARD
LENGTH

WEB-LOCK

PART # D513



RATCHET

PART # D501

TIRE BONNET WITH
TIE-DOWN RATCHET

PART # 30RT

BOLT ON TOW STRAP



PART # 2605

2" E-TRACK ADAPTERS



3,000 LB. RATED

D-Ring style E-Track adapter

PART # D2510



5,000 LB. RATED

Spring loaded adapter

PART # D1096

2" RACE CAR COMBO RATCHET/AXLE STRAPS

All the same great features of the Ratchet Tie-Downs plus adjustable axle strap loop. The protective sleeve is standard on these units.

Complete
Tie-Down Unit

PART #

6 FT - 3606

8 FT - 3608

10 FT - 3610

COMPLETE RACE CAR 2" TIE-DOWN KIT

This kit is designed to tie down over axles or on suspension components. Kit includes (2) Adjustable Tie-Back Straps and (2) Combo Ratchet Axle Straps.

Complete
Tie-Down Unit

PART #

6 FT - 4606

8 FT - 4608

10 FT - 4610

2" TIE-BACK TOWING STRAPS

Tie-back uses twisted snap hook, 10,000 lb. polyester strap and protective axle sleeve. Each unit is adjustable from 24"-40".

PART # 2602

2" SLEEVED AXLE STRAPS

Heavy duty axle straps have sliding sleeve to prevent the accelerated wear you see in or on cheaper units. The same high quality 10,000 lb. webbing is used along with high strength 5,000 D-Rings.

PART #

21" - 2502

23" - 2503

HEAVY DUTY D-RING



6,000 LB. RATED

RECESSED PAN

PART # D1116

D-RING

PART # D5500

HEAVY DUTY RECESSED
ROTATING D-RING6,000 LB.
RATED

PART # D1113

HEAVY DUTY D-RING



Note: This will reduce the strength rating of a ratchet strap to a maximum 5,000 lbs.

PART # D1058

LIGHT DUTY FLUSH
MOUNT D-RING2,000 LB.
RATED

PART # D1055

LIGHT DUTY D-RING



1,200 LB. RATED

PART # D1072

RECESSED D-RING

5,000 LB.
RATED

PART # D5000